Punthill Apartments Signage Guidelines

ADVOCATES BEST.

Signage Overview









Punthill Inspiration Stroke / Curve / Cutouts / Colour or timber accents





Timber Spec: T.B.C Match architectural timber finish.

Black CMYK — 77, 68, 60, 71 aral RGB — 30, 33, 38 HEX — #1e2126

> 2 pack Matte Vinyl Matte Vinyl Gloss

Orange CMYK — 0, 75, 100, 0 RGB — 241, 95, 34 HEX —

2 pack Satin

2 pack Satin

Blue

CMYK —

RGB —

HEX —

Colour TBC refer Brand guidelines doc. **Neutral** CMYK — RGB — 255, 255, 255 HEX —

2 pack Satin

Vinyl Matte

Colour TBC refer Brand guidelines doc. **Neutral** CMYK — 0, 0, 0, 0 RGB — 255, 255, 255 HEX —

2 pack Satin

Vinyl Matte

RGB — HEX — 2 pack Satin Vinyl Matte

Grey

CMYK — 0, 0, 0, 70/80

in

<u>CLIENT:</u> Punthill Apartments

PROJECT:

Signage Guidelines

ts J001197

PROJECT NUMBER:

Iconography / Finishes

SHEET TITLE:

<u>DATE:</u> 19.07.19

<u>SHEET NUMBER:</u> PH-02 <u>SCALE @A3:</u> Shown @A3 Check all dimensions and site conditions prior to the commencement of any work, the purchase or ordering of any materials, shop drawings and/or the fabrication of any components. Do not scale drawings, refer to figured dimensions only. Any discrepancies shall immediately be referred to BEST. for clarification. All drawings may not be reproduced or distributed without prior permission from BEST. Structural stability and integrity of all components relating to all work is solely the responsibility of the builder or engineer. These drawings relay design intent information only and should not be used as clarification of other. All dimensions noted are to be confirmed on site prior to commencement of work.



Grey CMYK — 0, 0, 0, 90 RGB — HEX —

2 pack Satin Vinyl Matte

AaBbCcDdEeFfGgHhliJjKkLlMm NnOoPpQqRrSstUuVvWwXxYyZz 1234567890&%\$@?

CIRCULAR STD BOOK

AaBbCcDdEeFfGgHhliJjKkLlMm **NnOoPpQqRrSstUuVvWwXxYyZz** 1234567890&%\$@?

CIRCULAR STD BOLD

CLIENT: Punthill Apartments

PROJECT NUMBER: J001197


SHEET TITLE: Typography

PROJECT: Signage Guidelines DATE: 19.07.19 SHEET NUMBER: PH-03

SCALE @A3: Shown @A3

Check all dimensions and site conditions prior to the commencement of any work, the purchase or ordering of any materials, shop drawings and/or the fabrication of any components. Do not scale drawings, refer to figured dimensions only. Any discrepancies shall immediately be referred to BEST. for clarification. All drawings may not be reproduced or distributed without prior permission from BEST. Structural stability and integrity of all components relating to all work is solely the responsibility of the builder or engineer. These drawings relay design intent information only and should not be used as clarification of other. All dimensions noted are to be confirmed on site prior to commencement of work.

BEST





| | | |
|------|----------|------|
| | | |
| | | |
| × | PUNTHILL | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |


BID.4 BUILDING IDENTIFICATION SIGN

SUSPENED OR CANTILEVERED SIGN FABRICATED ALUMINIUM CLAD AROUND INTERNAL FRAME PROFILE CUT FLUSH FIT ILLUMINATED GRAPHICS

(REFER PAGE 13 FOR CONSTRUCTION INTENT DETAILS)











Check all dimensions and site conditions prior to the commencement of any work, the purchase or ordering of any materials, shop drawings and/or the fabrication of any components. Do not scale drawings, refer to figured dimensions only. Any discrepancies shall immediately be referred to BEST. for clarification. All drawings may not be reproduced or distributed without prior permission from BEST. Structural stability and integrity of all components relating to all work is solely the responsibility of the builder or engineer. These drawings relay design intent information only and should not be used as clarification of other. All dimensions noted are to be confirmed on site prior to commencement of work.

Signage Construction Intent





TYPICAL SECTION (LOGO) SCALE N/A

TYPICAL SECTION (LETTERS) SCALE N/A



Y

FRONT ELEVATION SCALE 1:25

19.07.19

PROJECT NUMBER:

SIDE ELEVATION SCALE 1:25



FRONT ELEVATION (NIGHT SHOT) SCALE 1:25

CLIENT: Punthill Apartments

J001197 DATE:

PROJECT: Signage Guidelines

SHEET NUMBER: PH-07

SHEET TITLE:

Signtype BID.1

SCALE @A3: Shown @A3

Check all dimensions and site conditions prior to the commencement of any work, the purchase or ordering of any materials, shop drawings and/or the fabrication of any components. Do not scale drawings, refer to figured dimensions only. Any discrepancies shall immediately be referred to BEST. for clarification. All drawings may not be reproduced or distributed without prior permission from BEST. Structural stability and integrity of all components relating to all work is solely the responsibility of the builder or engineer. These drawings relay design intent information only and should not be used as clarification of other. All dimensions noted are to be confirmed on site prior to commencement of work.


SIGNTYPE: BID.1 BUILDING IDENTIFICATION SIGN

- Fabricated aluminium Logo A1 Finish: 2 pack orange
- Fabricated aluminium Letters A2 Finish: 2 pack black
- Logo face В 12mm opal acrylic rebatted face with minimal CSK fixings. Computer cut translucent orange vinyl applied to face. Fixings painted to match.
- Spacers С 20mm CHS Finish to match logo.letters
- Suitable fixings to substrate D
- White LEDs mounted internally F Ensure even illumination Ensure adequate heat sinking.


12V power cable through indvidual penetrations through wall per letter. Suitable conduit. Transformer remotely located

NOTE: TYPICAL SMALL LETTER DETAIL ALSO APPLIES TO SIGNTYPE **BID.6.**

NOTE: ALL DETAILS ARE CONSTRUCTION INTENT ONLY







CLIENT: Punthill Apartments

J001197

PROJECT NUMBER:

SHEET TITLE: Signtype BID.2

PROJECT: Signage Guidelines DATE: 19.07.19 SHEET NUMBER: PH-08


SCALE @A3: Shown @A3

Check all dimensions and site conditions prior to the commencement of any work, the purchase or ordering of any materials, shop drawings and/or the fabrication of any components. Do not scale drawings, refer to figured dimensions only. Any discrepancies shall immediately be referred to BEST. for clarification. All drawings may not be reproduced or distributed without prior permission from BEST. Structural stability and integrity of all components relating to all work is solely the responsibility of the builder or engineer. These drawings relay design intent information only and should not be used as clarification of other. All dimensions noted are to be confirmed on site prior to commencement of work.


SIGNTYPE: BID.2 BUILDING IDENTIFICATION SIGN

- Sign face А Profile cut aluminium. Intracut graphics. Split batten welded to rear to slide into sign body Finish: 2 pack black
- Graphics В Profile cut opal acrylic flush to sign face Computer cut translucent orange SAV applied to face.
- Signbody С Aluminium sign extrusion Internal Steel frame pop revitted to extrusion. Finish: 2 pack black
- Removeable extrusion end piece to slide sign face D out. CSK fixings to frame Heads painted black to match
- Suitable fixings to substrate Е
- White LEDs mounted internally to aluminium panel. F Ensure even illumination 12V power cable through penetrations in wall. Suitable conduit. Transformer located within sign or remotley

NOTE: ALL DETAILS ARE CONSTRUCTION INTENT ONLY



TYP. HORIZONTAL SECTION



CLIENT: Punthill Apartments

PROJECT:

Signage Guidelines

J001197

PROJECT NUMBER:

SHEET TITLE: Signtype BID.3

DATE: 19.07.19 SHEET NUMBER: PH-09


SCALE @A3: Shown @A3

Check all dimensions and site conditions prior to the commencement of any work, the purchase or ordering of any materials, shop drawings and/or the fabrication of any components. Do not scale drawings, refer to figured dimensions only. Any discrepancies shall immediately be referred to BEST. for clarification. All drawings may not be reproduced or distributed without prior permission from BEST. Structural stability and integrity of all components relating to all work is solely the responsibility of the builder or engineer. These drawings relay design intent information only and should not be used as clarification of other. All dimensions noted are to be confirmed on site prior to commencement of work.

SIGNTYPE: BID.3 BUILDING IDENTIFICATION SIGN

- Sign face А Fabricated aluminium. Intracut graphics. Screw fixed to frame Finish: 2 pack black
- Graphics В Profile cut opal acrylic flush to sign face Computer cut translucent orange SAV applied to face.
- Sign Frame С Internal aluminium frame bolted to wall
- Suitable fixings to ceiling structural member D
- White LEDs mounted internally to aluminium panel. Е Ensure even illumination 12V power cable through penetrations in wall. Suitable conduit. Transformer located within sign or remotley

NOTE: ALL DETAILS ARE CONSTRUCTION INTENT ONLY






Check all dimensions and site conditions prior to the commencement of any work, the purchase or ordering of any materials, shop drawings and/or the fabrication of any components. Do not scale drawings, refer to figured dimensions only. Any discrepancies shall immediately be referred to BEST. for clarification. All drawings may not be reproduced or distributed without prior permission from BEST. Structural stability and integrity of all components relating to all work is solely the responsibility of the builder or engineer. These drawings relay design intent information only and should not be used as clarification of other. All dimensions noted are to be confirmed on site prior to commencement of work.

SIGNTYPE: BID.4 BUILDING IDENTIFICATION SIGN

- Sign face А Profile cut aluminium. Intracut graphics. Split batten welded to rear to slide into sign body Finish: 2 pack black
- Graphics В Profile cut opal acrylic flush to sign face Computer cut translucent orange SAV applied to face.
- Signbody С Aluminium sign extrusion Internal Steel frame pop revitted to extrusion. Finish: 2 pack black
- Removeable extrusion end piece to slide sign face D out. (Located Kerb side) CSK fixings to frame Heads painted black to match
- Suitable fixings to ceiling structural member Е
- White LEDs mounted internally to aluminium panel. F Ensure even illumination 12V power cable through penetrations in wall. Suitable conduit. Transformer located within sign or remotley
- 20mm spacer G Finish: 2 pack black

NOTE: ALL DETAILS ARE CONSTRUCTION INTENT ONLY



CLIENT:

PROJECT NUMBER: **Punthill Apartments** J001197

SHEET TITLE: Signtype BID.5

PROJECT: DATE: Signage Guidelines 19.07.19 SHEET NUMBER: PH-11


SCALE @A3: Shown @A3

Check all dimensions and site conditions prior to the commencement of any work, the purchase or ordering of any materials, shop drawings and/or the fabrication of any components. Do not scale drawings, refer to figured dimensions only. Any discrepancies shall immediately be referred to BEST. for clarification. All drawings may not be reproduced or distributed without prior permission from BEST. Structural stability and integrity of all components relating to all work is solely the responsibility of the builder or engineer. These drawings relay design intent information only and should not be used as clarification of other. All dimensions noted are to be confirmed on site prior to commencement of work.


SIGNTYPE: **BID.5** BUILDING IDENTIFICATION SIGN

Profile cut acrylic letters А Adhered to fascia Finish: 2 pack black and orange

> NOTE: ALL DETAILS ARE CONSTRUCTION INTENT ONLY



TYPICAL SECTION DETAIL SCALE N/A



PROJECT: Signage Guidelines

DATE: 19.07.19 SHEET NUMBER: PH-12


SCALE @A3: Shown @A3

Structural stability and integrity of all components relating to all work is solely the responsibility of the builder or engineer. These drawings relay design intent information only and should not be used as clarification of other. All dimensions noted are to be confirmed on site prior to commencement of work.

SIGNTYPE: EXD.1 / EXD.2 EXTERNAL BRAND ID / DIRECTORY

- Sign faces A1 Fabricated aluminium. Intracut graphics. Finish: 2 pack black
- Welded fishplates to rear of signface A2 CSK fixed to frame)
- Cover Plate A3 Aluminium strip applied over fixings once installed
- Illuminated Graphics В Profile cut opal acrylic flush to sign face Computer cut translucent orange SAV applied to face.
- Non illuminated graphics С Computer cut SAV applied to face. Anti-graffiti top coat
- Sign Frame D Internal aluminium frame bolted to wall
- Below ground base plate with suitabel anchors to Е poured concrete footing.
- Existing tile/ground substarte reinstated around sign F
- White LEDs mounted internally to aluminium panel. G Ensure even illumination 12V power cable through penetrations in wall. Suitable conduit. Transformer located within sign or remotley

NOTE: ALL DETAILS ARE CONSTRUCTION INTENT ONLY



PROJECT: Signage Guidelines DATE:

19.07.19

SHEET NUMBER: PH-13


SCALE @A3: Shown @A3

immediately be referred to BEST. for clarification. All drawings may not be reproduced or distributed without prior permission from BEST. Structural stability and integrity of all components relating to all work is solely the responsibility of the builder or engineer. These drawings relay design intent information only and should not be used as clarification of other. All dimensions noted are to be confirmed on site prior to commencement of work.

SIGNTYPE: PL.1 CONCIERGE PLACEMAKER

SIZE, HEIGHT AND LAYOUT VARIABLE TO SUIT SITE SPECIFIC REQUIREMENTS

Profile cut logo Finish: timber Satin clear coat Pin fixed and adhered into wall substrate.



PROJECT: Signage Guidelines

19.07.19

PH-14


SCALE @A3: Shown @A3

to commencement of work.

SIGNTYPE: ID.1 LEVEL/LIFT IDENTIFICATION SIGN_WALL MOUNTED

- А Profile cut 6mm acrylic or aluminium adhered to panel behind Finish: 2 pack satin grey Level number cut through face to expose timber behind. Computer cut S.A.V graphics to face Colour: varies Font: Circular STD Book
- В Backing panel Profile cut 12mm timber Adhered or CSK acrylic screw fixed to wall

NOTE: ALL GRAPHICS SHOWN ARE INDICATIVE.




SIGNTYPE: D.1 DIRECTIONAL SIGN_WALL MOUNTED

INDIVIDUAL PANELS, STACKED ON EACH OTHER

- А Profile cut 2mm acrylic or aluminium adhered to panel behind Finish: 2 pack satin grey Arrows cut through face to expose timber behind Computer cut S.A.V to face Finish: Grey Font: Circular STD Book
- В Backing panel Profile cut 6mm timber Adhered or CSK acrylic screw fixed to wall Profile matches front panel

SCALE 1:10



CLIENT: SHEET TITLE: PROJECT NUMBER: Punthill Apartments J001197 Signtype ID.2 PROJECT: DATE:

19.07.19

Signage Guidelines

SHEET NUMBER: PH-16

SCALE @A3: Shown @A3

Check all dimensions and site conditions prior to the commencement of any work, the purchase or ordering of any materials, shop drawings and/or the fabrication of any components. Do not scale drawings, refer to figured dimensions only. Any discrepancies shall immediately be referred to BEST. for clarification. All drawings may not be reproduced or distributed without prior permission from BEST. Structural stability and integrity of all components relating to all work is solely the responsibility of the builder or engineer. These drawings relay design intent information only and should not be used as clarification of other. All dimensions noted are to be confirmed on site prior to commencement of work.

150 B (A) \rightarrow Rooms 15 - 30 525 (VARIABLE) *ک*ی FRONT DETAILS SCALE 1:10

R⁰⁰^{m⁵} 15⁻30

Rooms 15-30

EZ.


i

PERSPECTIVE VIEW SCALE N/A

SIGNTYPE: D.2 DIRECTIONAL SIGN_WALL MOUNTED


- А Profile cut 2mm acrylic or aluminium adhered to panel behind Finish: 2 pack grey white Arrows cut through face to expose timber behind Computer cut S.A.V to face Finish: Grey Font: Circular STD Book
- В Backing panel Profile cut 6mm timber Adhered or CSK acrylic screw fixed to wall Profile matches front panel

SCALE 1:10



SIGNTYPE: ID.2 ROOM IDENTIFICATION SIGN

- А Profile cut 2mm acrylic or aluminium adhered to panel behind Finish: 2 pack grey white Arrows cut through face to expose timber behind Computer cut S.A.V to face Finish: Grey Font: Circular STD Book
- Backing panel В Profile cut 6mm timber Adhered or CSK acrylic screw fixed to door.



SIGNTYPE: ID.3 FACILITY IDENTIFICATION SIGN

- А Profile cut 2mm acrylic or aluminium adhered to panel behind Finish: 2 pack satin blue graphics cut through face to expose timber behind Font: Circular STD Book
- В Backing panel Profile cut 6mm timber Adhered or CSK acrylic screw fixed to door.



ST.1: EXAMPLE/TEMPLATE (20mm) SCALE 1:5




ST.1-A: EXAMPLE/TEMPLATE (20mm) SCALE 1:5

MAIN SWITCH ROOM

ST.2: EXAMPLE/TEMPLATE (32mm) SCALE 1:5

FIRE HOSE REEL

ST.2 : EXAMPLE/TEMPLATE (50mm) SCALE 1:5



FRONT ELEVATION SCALE 1:25

CLIENT: **PROJECT NUMBER:** SHEET TITLE: **Punthill Apartments** J001197 Signtype GD.1 PROJECT: DATE: SHEET NUMBER: SCALE @A3: 19.07.19 Shown @A3 Signage Guidelines PH-19

Check all dimensions and site conditions prior to the commencement of any work, the purchase or ordering of any materials, shop drawings and/or the fabrication of any components. Do not scale drawings, refer to figured dimensions only. Any discrepancies shall immediately be referred to BEST. for clarification. All drawings may not be reproduced or distributed without prior permission from BEST. Structural stability and integrity of all components relating to all work is solely the responsibility of the builder or engineer. These drawings relay design intent information only and should not be used as clarification of other. All dimensions noted are to be confirmed on site prior to commencement of work.

SIGNTYPES: ST.1/ST.1-A/ST.2 STATUTORY SIGNAGE

Computer cut matte S.A.V applied to doors Finish: blue to match corporate colours (Matte white to be used in instance of dark colour doors) Font: Circular STD Book




CLIENT: SHEET TITLE: PROJECT NUMBER: Punthill Apartments J001197 Signtype AM.2 PROJECT: SHEET NUMBER: DATE: 19.07.19 Signage Guidelines

Check all dimensions and site conditions prior to the commencement of any work, the purchase or ordering of any materials, shop drawings and/or the fabrication of any components. Do not scale drawings, refer to figured dimensions only. Any discrepancies shall immediately be referred to BEST. for clarification. All drawings may not be reproduced or distributed without prior permission from BEST. Structural stability and integrity of all components relating to all work is solely the responsibility of the builder or engineer. These drawings relay design intent information only and should not be used as clarification of other. All dimensions noted are to be confirmed on site prior to commencement of work.

(A)

В



100

TYPICAL SECTION DETAIL

400

FRONT SIGN DETAIL

SCALE 1:5


50

PH-20

SCALE @A3: Shown @A3

SIGNTYPE: AM.2 AMENITIES IDENTIFICATION

- А Profile cut 2mm aluminium folded return to one side to CSK fix to wall Finish: 2 pack satin grey icons cut through face to expose timber behind
- В Backing panel Profile cut 3mm timber sandwiched between face panels Profile matches front panel
- С Cover plate Profile cut 2mm aluminium adhered to face of panel once installed to conceal fixings. Finish: 2 pack satin grey





CLIENT:

Punthill Apartments

PROJECT: Signage Guidelines

DATE: 19.07.19

J001197

PROJECT NUMBER:

SHEET NUMBER: PH-21

SHEET TITLE:

Signtype ST.1 / ST.2

SCALE @A3: Shown @A3

SCALE 1:5

Male Toilet

Unisex Toilet


Check all dimensions and site conditions prior to the commencement of any work, the purchase or ordering of any materials, shop drawings and/or the fabrication of any components. Do not scale drawings, refer to figured dimensions only. Any discrepancies shall immediately be referred to BEST. for clarification. All drawings may not be reproduced or distributed without prior permission from BEST. Structural stability and integrity of all components relating to all work is solely the responsibility of the builder or engineer. These drawings relay design intent information only and should not be used as clarification of other. All dimensions noted are to be confirmed on site prior to commencement of work.


SIGNTYPE: AM.2 AMENITIES DDA IDENTIFICATION

- Sign panel 1.2mm profile cut aluminium Direct adhered to wall. А Finish: 2 pack satin blue
- В Raised tactile pictograms Finish: white
- С Raised tactile text (Indicative content shown) font: Circular STD Book Finish: white
- D Tactile graphic (Indicative content shown) Finish: white

Note -Manufacturer to ensure signs are dda compliant to relevant standards.

1. All corners & edges to be rounded. 2. Luminance contrast value between sign & wall surface to be 30% min. 3. Luminance contrast value between signface & graphic to be 30% min. 4. All finishes to be low sheen. 5. Braille must be grade 1 braille (uncontracted). 6. Ensure correct braille message is used.





CLIENT: SHEET TITLE: **PROJECT NUMBER:** Punthill Apartments J001197 Signtype SD.1 & ED.1 SHEET NUMBER: PROJECT: DATE: SCALE @A3: 19.07.19 Signage Guidelines PH-22 Shown @A3

Check all dimensions and site conditions prior to the commencement of any work, the purchase or ordering of any materials, shop drawings and/or the fabrication of any components. Do not scale drawings, refer to figured dimensions only. Any discrepancies shall immediately be referred to BEST. for clarification. All drawings may not be reproduced or distributed without prior permission from BEST. Structural stability and integrity of all components relating to all work is solely the responsibility of the builder or engineer. These drawings relay design intent information only and should not be used as clarification of other. All dimensions noted are to be confirmed on site prior to commencement of work.

SIGNTYPES: SD.1 & ED.1 SAFETY DECAL AND ENTRY DECAL

- А Computer cut S.A.V inside face of glazing Finish: Avery frost
- В Computer cut S.A.V inside face of glazing Finish: Black and Orange

SIZE, HEIGHT AND LAYOUT OF ENTRY DECAL VARIABLE TO SUIT SITE SPECIFIC REQUIREMENTS

Thank you

